



POWDERCOATED ALUMINIUM • FENCING • GATES • SCREENS


• STYLE • STRENGTH • SECURITY • SOPHISTICATION




Sandhurst




Lonsdale




Como




Flinders




Hadlow




Hendra




Malvern




Brighton




Oxford



Portsea



Sorrento




Arthur




MADE IN AUSTRALIA (ROSEBUD, VIC)




- NON RUST ALUMINIUM
- STRONG, LIGHTWEIGHT & DURABLE
- BETTER SUITED TO SALT AIR EXPOSURE THAN STEEL
- LARGE RANGE OF COLOURS & DESIGNS
- STANDARD & CUSTOM MADE DESIGNS




McCrae



Caulfield




Cottage Picket




Classic Picket


### PANEL CONFIGURATIONS




Flat



End Rise



Scallop



Arch

### SPEAR/PICKET INSERTS



(A)



(B)



(C)



(D)



(E)



(F)



(G)


### ALUMINIUM SCREENING & FENCING




Wall/ Window Mounting



Between Posts



Between Structures



Patented System

Don't forget about your letterbox & numerals. Ask about our large range. Have it built into your fence at manufacture stage & coloured to match. Other spear & picket top inserts available other than shown.

[www.woodvilleconstructions.com.au](http://www.woodvilleconstructions.com.au)

**POWDERCOATED ALUMINIUM • FENCING • GATES • SCREENS**

**• STYLE • STRENGTH • SECURITY • SOPHISTICATION**

## **SPECIFICATIONS**

- (T) – Tubular 16mm diameter bars inserted at 90mm centers through 38mm x 25mm rails.  
Standard Panel Lengths (T) 2400mm & 3000mm (complete with fittings & screws).  
Standard Panel Heights (T) 0.9m, 1.2m, 1.5m, 1.8m.  
Standard Single Gate (T) 1 at 890mm wide.  
Standard Double Gates (T) 2 at 1460mm wide.  
Gate Hardware (sold separately – large range) \$P.O.A.  
Standard Fence/Gate Posts available in 50mm, 65mm, 75mm, 100mm square of varying wall thickness depending on height or gate application (Complete with post cap) – optional decorative inserts \$P.O.A.
  
- (P) – Pickets either 50mm x 10mm (cottage) in 65mm x 16mm (classic 30/60)  
Face welded to 40x 40 rails. All panels available in 0.9m, 1.2m, 1.5m, 1.8m heights with matching gates.  
(Cottage picket) Standard Panel Length 2150mm (complete with fittings and screws).  
Standard Single Gate 1 at 950mm wide.  
Standard Double Gate 2 at 1450mm wide.  
(Classic picket 30/60) Standard Panel Lengths 2120mm/2160mm (complete with fittings and screws).  
Standard Single Gate 1 at 920mm/940mm wide.  
Standard Double Gate 2 at 1490mm/1440mm wide.  
Gate Hardware (sold separately – large range) \$P.O.A.  
Standard fence/Gate Posts available in 65mm, 75mm, 100mm square of varying wall thickness depending on height or gate application (Complete with post cap) – optional decorative inserts \$P.O.A.

...Continued page 4

- (S) – Screening 65mm x 16mm (either 9mm or 20mm spaced)  
Various heights and lengths/ other size slats, in both straight or louvered configuration available.  
D.I.Y Kit Packs in 65mm x 16mm (9mm spacings) in 1175mm/1767mm heights and widths of 1200mm/1800mm/2400mm.  
Full range of gates both standard opening or custom made.  
Huge range of posts and accessories to compliment.
  
- Custom Fabrication service available across the entire range (\$P.O.A)
- After fabrication, all fences, gates, screens, posts, fittings etc are subjected to a chromate conversion process before being powdercoated to your colour choice.
  
- Specifications are subject to change without notice, please confirm at time of order thank you.